

Practice and Exploration of Diversified Teaching Mode in the Clinical Teaching of Dermatology Trainees

Yu ZHANG¹, Juan WEN^{1*}

¹Department of Dermato-Venereology, The Seventh Affiliated Hospital of Sun Yat-sen University, Shenzhen 518000, China; *Correspondence to: wenjuan@sysush.com (Juan WEN)

Abstract

Dermatology education faces distinctive challenges due to its visually-driven diagnostic paradigm encompassing over 2,000 conditions with complex morphological presentations. Traditional didactic approaches fail to develop essential clinical competencies in lesion recognition, diagnostic reasoning, and therapeutic decision-making. This comprehensive review examines the implementation of diversified teaching models integrating four evidence-based components: 1) structured visual case libraries, 2) technology-enhanced problem-based learning, 3) virtual simulation training, and 4) mobile-optimized microlearning. Through systematic analysis of educational frameworks and empirical outcomes, we demonstrate how these innovations transform abstract dermatological concepts into clinically contextualized learning experiences that significantly enhance diagnostic accuracy, pattern recognition, and clinical preparedness. The integrated model addresses critical gaps in contemporary training by providing consistent exposure to both common and rare conditions, facilitating deliberate practice in differential diagnosis, and supporting individualized learning trajectories. Implementation challenges including faculty development, assessment redesign, and technological integration are addressed with practical solutions derived from educational research and institutional experiences. The synthesized evidence establishes that multimodal approaches significantly enhance diagnostic accuracy and clinical preparedness compared to conventional methods, providing a roadmap for competency-based dermatology education reform that aligns with evolving healthcare demands and digital transformation in medical education.

Keywords Dermatology education; Clinical clerkship; Visual learning; Medical simulation; Curriculum development

1 Introduction: Contemporary Challenges in Dermatology Training

Dermatology occupies a unique position in medical education due to its heavy reliance on visual pattern recognition and morphological interpretation [1]. The specialty encompasses over 2,000 conditions characterized by diverse morphological presentations, complex disease trajectories, and nuanced diagnostic criteria that require extensive visual exposure and pattern recognition development. Clinical clerkships in

dermatology face three fundamental educational tensions that significantly impede competency development among medical students and require innovative pedagogical approaches.

First, the visual-cognitive disconnect arises when verbal descriptions and textual information inadequately convey lesion characteristics essential for accurate diagnosis. Distinctive features such as Wickham's striae in lichen planus, the "honeycomb" pattern in actinic keratoses, or the arrangement of vesicles in herpes zoster require direct visualization and comparative analysis for accurate identification. Educational research confirms that trainees achieve significantly higher diagnostic accuracy when high-resolution clinical images, dermoscopic correlations, and histopathological illustrations supplement traditional textual learning materials. This visual reinforcement helps build the mental pattern libraries essential for clinical practice. Second, clinical fragmentation occurs when brief, episodic outpatient encounters prevent comprehensive observation of disease evolution and therapeutic response. Chronic conditions like psoriasis exhibit dynamic morphological changes across inflammatory phases that require longitudinal tracking to appreciate fully, including variations in scale, erythema, and plaque morphology. Standard 2–4 week clerkship rotations rarely permit such continuity, creating gaps in understanding disease natural history and treatment response assessment. Third, learner heterogeneity presents substantial challenges when students from diverse educational backgrounds require differentiated instructional approaches [2]. Medical students with strong clinical medicine foundations may grasp pathophysiological mechanisms while struggling with subtle lesion identification, whereas cosmetic dermatology students often demonstrate the inverse pattern, excelling in morphological recognition but requiring support in therapeutic decision-making and systemic disease correlation. Seasonal disease variations and the inherent rarity of many dermatological conditions further constrain clinical exposure opportunities, creating significant, predictable gaps in competency development that conventional teaching cannot address. These collective challenges necessitate fundamental pedagogical innovation beyond conventional teaching paradigms to ensure consistent, comprehensive dermatology education.

2 Limitations of Conventional Teaching Approaches

Lecture-based learning (LBL) remains prevalent in dermatology education despite extensively documented deficiencies in developing essential dermatological expertise among students [3]. The passive knowledge transfer inherent in this model fails to engage higher-order cognitive processes essential for clinical reasoning, pattern recognition, and diagnostic decision-making. The limitations of traditional approaches become particularly apparent in developing the visual diagnostic skills that define dermatological expertise.

For instance, distinguishing between morphologically similar conditions like fixed drug eruption and erythema multiforme requires sophisticated pattern recognition that lectures cannot cultivate. Such pedagogical approaches also create a significant disconnect between theoretical knowledge and clinical application. Medical students may memorize textbook descriptions of autoimmune bullous diseases yet remain unable to construct differential diagnoses when confronted with actual patients exhibiting fragile blisters or erosions. This theory-practice gap contributes directly to diagnostic errors during clinical rotations and undermines clinical confidence. Furthermore, traditional methods systematically underutilize visual resources critical to dermatology education. Dermoscopic images, histopathological slides, clinical photography, and therapeutic response documentation represent foundational learning tools that remain fragmented across different resources rather than systematically integrated into cohesive learning pathways. Studies comparing conventional and diversified approaches consistently demonstrate superior clinical competency development with multimodal strategies across multiple domains including diagnostic accuracy, diagnostic confidence, and appropriate investigation selection. The accumulating evidence underscores the necessity of pedagogical transformation to meet contemporary training requirements and ensure patient

safety in dermatological practice.

3 Diversified Educational Frameworks: Evidence and Implementation

3.1 Structured Visual Case Libraries

Curated image repositories address core deficiencies in lesion recognition training through systematic organization of clinical resources into accessible, educational meaningful collections. Tiered libraries categorize conditions by diagnostic complexity and educational priority, helping clerkship students build diagnostic pattern recognition [4]. Fundamental diseases: High-frequency conditions (e.g., psoriasis demonstrating Köbner phenomenon, various stages of eczema) that form diagnostic building blocks; Diagnostic challenges: Morphological mimics (e.g., discoid lupus vs. photosensitivity disorders, early melanoma vs. benign melanocytic lesions) that develop differential diagnosis skills; Clinical emergencies: Progressive conditions requiring urgent recognition (e.g., Stevens-Johnson syndrome evolution, necrotizing fasciitis, meningococcal purpura) that emphasize timely intervention.

Each case integrates multiple visual modalities including clinical photographs from different body locations, dermoscopic features at various magnifications, and histopathological correlations to demonstrate the visual-textural spectrum of diseases across different presentations. Implementation follows a carefully designed three-phase educational sequence that mirrors clinical reasoning development. The discovery phase presents anonymized patient images with strategic clinical clues—for example, annular lesions on the back of an elderly male with winter exacerbation suggesting possible psoriasis or nummular eczema. During the differentiation phase, student groups construct evidence-based differential diagnoses comparing conditions like tinea corporis, pityriasis rosea, and subacute cutaneous lupus through systematic feature analysis. The resolution phase reveals diagnostic anchors through progressive disclosure of dermoscopic patterns, histopathology reports, and therapeutic responses, enabling instructors to deconstruct reasoning errors and reinforce diagnostic principles. Empirical assessments confirm this approach significantly improves physical sign recognition, particularly for diagnostically critical maneuvers like Nikolsky sign evaluation in autoimmune blistering diseases, trichoscopy pattern identification in alopecia, and nail fold capillary assessment in connective tissue diseases. The structured visual scaffolding effectively transforms abstract descriptions into pattern recognition schemata transferable to clinical practice.

3.2 Technology-Enhanced Clinical Reasoning

Blended problem-based learning (PBL) methodologies effectively bridge theoretical knowledge and clinical decision-making through digitally facilitated pedagogical sequences that accommodate diverse learning styles among medical students. This collaborative diagnostic refinement develops essential clinical reasoning skills through social learning and peer feedback [5]. The pre-session phase establishes foundational knowledge through guided literature review of clinical guidelines, curated image banks, and procedural videos that ensure all learners begin with comparable preparation. During face-to-face sessions, instructors facilitate evidence-based debates around diagnostically ambiguous cases—for instance, differentiating between rosacea, lupus erythematosus, and corticosteroid-induced dermatitis in patients presenting with persistent facial erythema, requiring integration of clinical, histological, and therapeutic knowledge. This collaborative diagnostic refinement develops essential clinical reasoning skills through social learning and peer feedback. Post-session consolidation requires students to submit diagnostic mind maps that receive structured feedback on logical gaps and evidence application, reinforcing learning and identifying areas requiring additional focus. Virtual pathology platforms extend this learning through interactive microscopy sessions where trainees analyze immunofluorescence patterns in bullous diseases, polarization characteristics in crystal deposits, and inflammatory patterns in vasculitis. Direct manipulation of digitized speci-

mens demonstrating linear IgG deposition in bullous pemphigoid or granular IgA deposits in dermatitis herpetiformis reinforces clinicopathological correlation more effectively than passive slide viewing. This integrated approach develops the hierarchical reasoning necessary for complex dermatological diagnosis while accommodating diverse learning trajectories through adjustable difficulty levels and personalized feedback mechanisms.

3.3 Virtual Simulation Training

Immersive digital resources effectively overcome limitations in rare disease exposure and procedural practice through three complementary modalities that provide safe, reproducible learning environments. Comprehensive micro-lecture libraries (<15 minutes) deliver focused visual learning on high-yield topics including dermoscopic algorithms for pigment pattern analysis, drug eruption patterns and culprit medication identification, and pediatric dermatology presentations across different age groups. Virtual patient simulators provide tactile feedback training for clinical maneuvers—for example, the epidermal shearing sensation pathognomonic for pemphigus vulgaris, blister roof removal techniques, and scar assessment methods that require hands-on experience. Phototherapy calculation modules teach dosage individualization based on Fitzpatrick skin typing, concomitant photosensitizing medications, and previous treatment response, integrating multiple clinical variables into decision-making. These resources enable comprehensive classroom transformation through flipped learning models where students acquire foundational knowledge pre-session through self-directed digital learning modules. Clinical time then focuses on advanced application through lesion interpretation challenges, simulated consultations with standardized patients, and procedural skill practice. Instructors concentrate expertise on resolving persistent misconceptions, such as differentiating oil-drop discoloration in psoriatic onychopathy from pterygium formation in lichen planus, or recognizing the varied presentations of cutaneous lupus in different skin types. Educational outcomes demonstrate particular benefit for rare condition exposure where clinical opportunities remain limited. Virtual pemphigus cases with progressive lesion development provide equivalent diagnostic training to scarce clinical encounters, while simulated toxic epidermal necrolysis cases allow management practice without patient risk.

4 Implementation Considerations and Solutions

4.1 Faculty Development Strategies

Successful implementation requires addressing critical faculty competency gaps through structured development programs that acknowledge the distinct teaching skills required for technology-enhanced learning. Comprehensive dermoscopy interpretation workshops build essential image analysis skills using curated clinical image collections from institutional and publicly available sources, progressing from basic pattern recognition to advanced diagnostic algorithms. Virtual platform certification programs ensure technical proficiency with simulation interfaces, learning management systems, and digital assessment tools, reducing technological barriers to implementation. Most significantly, case script design mentorship teaches educators to construct clinically authentic scenarios that integrate appropriate diagnostic complexity while scaffolding medical students' development through careful difficulty progression and feedback mechanisms. Institutions should recognize these teaching innovations through academic promotion pathways that value educational scholarship, dedicated awards systems that incentivize teaching excellence, and protected time allocations that acknowledge the substantial development effort required.

4.2 Competency-Based Assessment Reform

Multidimensional evaluation frameworks must replace reductionist knowledge testing to accurately measure clinical readiness across the full spectrum of dermatological practice. Such frameworks recognize that competent practice requires integration of multiple skill domains beyond factual recall. Within knowledge dimensions, assessment is conducted through sophisticated lesion-pattern matching tests that require visual diagnosis from carefully validated image sets representing diverse skin types, atypical presentations, and various disease stages. These assessments evaluate not only identification accuracy but also feature recognition precision and diagnostic confidence levels. Clinical reasoning is evaluated through structured diagnostic decision trees for complex, multifaceted cases, where students must articulate evidence hierarchies, justify exclusion criteria based on clinical and historical features, and select appropriate investigations with detailed justification regarding diagnostic yield and cost-effectiveness. This approach assesses the ability to navigate diagnostic uncertainty and prioritize management decisions under realistic clinical constraints. Practical competencies undergo comprehensive objective structured clinical examination (OSCE) assessment stations incorporating advanced dermoscopy technique with interpretation, biopsy simulation requiring appropriate site selection and technique justification, and nuanced patient communication for sensitive conditions like sexually transmitted infections, cosmetic concerns, or malignancy disclosures. Additionally, longitudinal metrics provide crucial developmental insights through analysis of virtual platform engagement patterns, response accuracy trends across repeated assessments, structured peer evaluation scores, and self-reflection components. These complementary process evaluations identify developmental trajectories, learning patterns, and persistent challenges beyond what single-point assessments can reveal, enabling targeted educational interventions and personalized feedback that supports progressive competency development throughout clerkship training.

4.3 Technological Integration Frameworks

Unified educational platforms should consolidate currently fragmented resources through institutional partnerships that leverage collective expertise and resources. Core components include comprehensive de-identified patient image repositories from teaching hospitals representing diverse populations, collated digital case libraries from collaborative projects providing rare condition examples, and artificial intelligence diagnostic trainers that generate personalized differential diagnoses based on user-inputted lesion characteristics and provide adaptive learning pathways. Cloud architecture enables scalable implementation across multiple training sites while maintaining rigorous patient privacy protections through appropriate anonymization and access controls. Such integration maximizes resource utilization while providing consistent learning experiences across different training environments, ensuring all clerkship students meet minimum competency standards regardless of clinical placement variations.

5 Conclusion

Dermatology education requires fundamental pedagogical transformation to develop the visual diagnostic expertise essential for contemporary clinical practice. Diversified teaching models effectively bridge the theory-practice gap by transforming abstract knowledge into clinical pattern recognition through four evidence-based components: structured visual libraries that build diagnostic pattern recognition, technology-enhanced PBL that develops clinical reasoning, virtual simulation that provides safe procedural practice, and mobile microlearning that supports just-in-time learning.

Implementation success depends upon coordinated development of faculty digital competencies and multidimensional assessment systems that capture clinical reasoning progression among clerkship students. Future advancements should establish collaborative ecosystems connecting academic standards, clinical

resources, and technological innovation through consortia models that share best practices and resources. Such systemic approaches will advance competency-based dermatology education that consistently produces medical students for diagnostic complexities across diverse patient populations and practice settings, ultimately improving patient care and dermatological outcomes through enhanced training methodologies.

To Cite This Article Yu ZHANG, Juan WEN. (2025). Practice and Exploration of Diversified Teaching Mode in the Clinical Teaching of Dermatology Trainees. *Medical Research*, 7(3), 79-84. <https://doi.org/10.6913/mrhk.070309>

References

- [1] Guégan S, Steichen O, Soria A. Literature review of perceptual learning modules in medical education: What can we conclude regarding dermatology? *Ann Dermatol Venereol*. 2021;148(1):16-22.
- [2] Domen J, Hornstra L, Weijers D, et al. Differentiated need support by teachers: Student-specific provision of autonomy and structure and relations with student motivation. *Br J Educ Psychol*. 2020;90(2):403-423.
- [3] Li Y, Tang XF, Cheng H. Application of a flipped classroom teaching model based on micro-videos in the standardized training of dermatological residents in China. *Front Med (Lausanne)*. 2023;10:1250168.
- [4] Argenziano G, Soyer HP, Chimenti S, et al. Dermoscopy of pigmented skin lesions: results of a consensus meeting via the Internet. *J Am Acad Dermatol*. 2003;48(5):679-693.
- [5] Srinivasan M, Wilkes M, Stevenson F, et al. Comparing problem-based learning with case-based learning: effects of a major curricular shift at two institutions. *Acad Med*. 2007;82(1):74-82.